


# Compressed Air Systems Open Rotary Screw Compressors

## 15-25 HP Elite Series



- A** Vibration isolation pads-saves wear & tear on the tank & makes installation easier, reduces vibration & noise
- B** Automatic tank drain-the compressor tank is drained daily for you
- C** Simple load/unload operation- compressor controls are reliable with common components (no computer systems to fail, or proprietary parts)
- D** Easy access oil drain-cuts down on maintenance time lowering the cost of ownership
- E** Encapsulated airend-allows for a smaller foot print& lower total oil capacity, lowering the cost of ownership
- F** Easy access air filter-cuts down on maintenance time lowering cost of ownership
- G** Easy access spin on separator-cuts down on maintenance and operational cost.
- H** Single common solenoid control-easy to maintain, simple operation and lower cost of ownership
- I** Easy access oil filter-cuts down on maintenance time lowing the cost of ownership
- J** Cooling fan on drive motor shaft -for easy maintenance ,lowers the cost of ownership(no separate motor contactor to fail)
- K** Industrial grade electric motor
- L** Air/Oil Cooler mounted on the outside of the belt guard-for easy maintenance resulting in lower cost of ownership
- M** Standard common motor contactor-for reliability and ease of maintenance (no computer system to fail)
- N** Easy access operational controls
- O** Compressor control panel UL cUL 508/508A certified on request
- P** Compressor tank ASME/CRN powder coated 200 psi working pressure rated
- Q** TEFC drive motor

**The lowest cost of ownership of any rotary screw compressor**

## Compressed Air Systems

Simplicity. It's What We Do.

[compressed-air-systems.com](http://compressed-air-systems.com) | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 4-2017

