

Compressed Air Systems Open Rotary Screw Compressors

5-15 HP Elite Series

- A** Automatic tank drain- the compressor tank is drained daily for you
- B** Vibration isolation pads- saves wear and tear on the tank and make installation easier, reduces vibration & noise
- C** Simple load/unload operation- compressor controls are reliable with common components (no computer systems to fail, or proprietary parts)
- D** Easy access oil filter-cuts down on maintenance time, lowering cost of ownership
- E** Easy access oil drain-cuts down on maintenance time, lowering cost of ownership
- F** Encapsulated airend-allows for a smaller foot print and lower total oil capacity and lower cost of ownership (saves on yearly maintenance cost)
- G** Easy access air filter-cuts down on maintenance time lowering cost of ownership
- H** Easy access spin on separator-cuts down on maintenance time lowering cost of ownership
- I** Single common solenoid control-easy to maintain, simple operation and lower cost of ownership
- J** Cooling fan on drive motor shaft-for easy maintenance and reliability (no separate fan motor or contactor to fail)
- K** Air/oil cooler mounted on the outside of the belt guard-for easy maintenance resulting in lower cost of ownership
- L** Industrial grade electric motor
- M** Standard common motor contactor-for reliability and ease of maintenance (no computer system to fail)
- N** Easy access operational controls
- O** Compressor control panel UL cUL 508/508A certified on request
- P** Compressor tank ASME/CRN powder coated 200 psi working pressure rated



The lowest cost of ownership of any rotary screw compressor

Compressed Air Systems

Simplicity. It's What We Do.

compressed-air-systems.com | 1-800-531-9656 | Fax 972-352-6364

© Compressed Air Systems, LLC 4-2017

