
ND CONTACT FACTORY



HOMOTOSSON AIT SYSTO **Replacing Tank Check Valve**

972-352-6304/800-531-9656





a pneumatic tank drain or electric skip this step. line. If the drain is manual disconnect the source air If the air compressor has

MAKE SURE THE TANK HAS NO PRESSURE IN IT. CHECK BY PULLING THE SAFETY VALVES BEFORE REPLACING TANK CHECK VALVE **ENSURE ZERO PRESSURE IN TANK. INJURY** CAN OCCUR IF TANK IS PRESSURIZED

www.compressed-air-systems.com

ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE



NIPOSSON AIT SYSTE

Replacing Tank Check Valve

972-352-6304/800-531-9656



Pneumatic auto tank drain line uninstalled. Skip this step if unit does not have pneumatic auto drain



from check valve

Remove discharge airline

Discharge air line removed from check valve



ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY **AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE**



NITOSSON AIT SYSTE

Replacing Tank Check Valve





valve from tank remove existing check pressure in it. Then Verify tank has no



removed from tank Existing check valve



valve on fittings and Re-install fittings into new check valve. Put thread sealant fittings from old check Remove all existing


ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE




NIPOSSON AIT SYSTE

Replacing Tank Check Valve

972-352-6304/800-531-9656



Put thread sealant on new check valve and install into tank



New check valve installed with discharge line. (Pneumatic auto tank drain line installed if applicable)