




Compressed Air Systems



Replacing Solenoid NK100-EVO

972-352-6304/800-531-9656



Scavenge Line

ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY
AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE




Compressed Air Systems




Cleaning Scavenge Line NK30-31

972-352-6304/800-531-9656



Loosen nuts on both ends of the scavenge line






Compressed Air Systems




Cleaning Scavenge Line NK30-31

972-352-6304/800-531-9656

ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY
AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE



Nuts loosened and backed off fitting



Scavenge line removed from fittings. Using an air blow gun or other device blow pressurized air through the line from both ends until clean




Compressed Air Systems



Cleaning Scavenge Line NK30-31

972-352-6304/800-531-9656

ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY
AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE



Remove scavenge
oil sight glass



Check scavenge sight
glass for debris



Compressed Air Systems




Cleaning Scavenge Line NK30-31

972-352-6304/800-531-9656

ALWAYS MAKE SURE POWER IS OFF TO COMPRESSOR AND CONTACT FACTORY
AUTHORIZED SERVICE CENTER OR FACTORY FOR ADVICE



Remove scavenge line fitting from airend block



Check fitting for debris and check airend housing for debris



972-352-6304/800-531-9656

Put scavenge line and fittings back in place